

# Crista Spot Light



# Crista Spot Light





## Product features

- Perfect structure designed die-cast aluminium with PC diffuser
- High Performance Diffuser and reflector with different beam angles
- Easy to install and low cost of maintenance
- Lumen maintenance >L70 at end of life and LED Chip, Philips, Osram, Epistar etc.
- Lumen efficacy 95 to 100lm/w, CRI >80
- Low energy consumption and up to >70% energy saving
- Optional Analog, 0/1-10V, DALI, Dimming


## Classification

Class II	CCT
220 to 240VAC	3000K,4000K,6500K
50Hz / PF:>0.9	

## Luminous Intensity Distribution Curve



## Illuminance at a Distance



### Beam Angle of Reflective Cup



MODEL	Power	CCT	Luminous Efficiency	Beam Angle	Size	RF No	Cut-out
CLX- 05CR062R07W	7W	3000K-6500K	90lm/w	15° 24° 38° 55°	Ø62 x H75mm	4515	Ø55mm
CLX- 05CR085R15W	15W	3000K-6500K	90lm/w	15° 24° 38° 55°	Ø85 x H89mm	4516	Ø75mm
CLX- 05CR104R25W	25W	3000K-6500K	90lm/w	15° 24° 38° 55°	Ø105 x H115mm	4517	Ø95mm
CLX- 05CR114S07W	2x7W	3000K-6500K	90lm/w	15° 24° 38° 55°	114 x 62 x H76mm	4518	105 x 55 mm
CLX- 05CR166S15W	2x10W	3000K-6500K	90lm/w	15° 24° 38° 55°	166 x 63 x H76mm	4519	160 x 55 mm
CLX- 05CR230DS07W	2x15W	3000K-6500K	90lm/w	15° 24° 38° 55°	230 x 64 x H90mm	4520	220 x 75 mm

# cliulux

illuminate your dreams

UK 

City Road, London  
ECV 2NX, United Kingdom  
[www.cliulux.com](http://www.cliulux.com)



## Crista - Spot Light