

# Duro Spot Light



# Duro Spot Light





## Product features

- Perfect structure designed die- cast aluminum with PC diffuser
- High Performance Diffuser and reflector with different beam angles
- Easy to install and low cost of maintenance
- Lumen maintenance >L70 at end of life
- LED Chip , Philips , ,Osram ,Epistar etc. lumen efficacy 95 to 100lm/w, CRI >80
- low energy consumption and up to >70% energy saving
- Optional Analog, 0/1-10V, DALI, Dimming
- Optional mA Adjustable Driver




## Classification

Class II	CCT
220 to 240VAC	2700K - 6500K
50Hz / PF:>0.9	<b>Driver</b>
	Lifud & Cliulux


## Luminous Intensity Distribution Curve



## Dimension



MODEL	Wattage	Lumens (lm)	Size	RF No	Cut-out
CLX-A1SC6507W	7W	595	Ø65 x H53mm	4450	Ø58mm
CLX-A1SC8012W	12W	1275	Ø80 x H75mm	4451	Ø75mm
CLX-A1SQ8012W	12W	1275	80 x H75mm	4452	Ø75mm
CLX-A1SC9518W	18W	2280	Ø100 x H95mm	4453	Ø90mm



**cliulux**

illuminate your dreams

UK 

City Road, London  
ECV 2NX, United Kingdom  
[www.cliulux.com](http://www.cliulux.com)

**Duro Spot Light**

[www.cliulux.com](http://www.cliulux.com)