


# Roza Spot Light



# Roza Spot Light




## Product features

- Perfect structure designed die-cast aluminium
- High Performance with Optical lense different beam angles
- Easy to install and low cost of maintenance
- Lumen maintenance >L70 at end of life and LED Cree, Epistar etc.
- Lumen efficacy 95 to 100lm/w, CRI >80
- Low energy consumption and up to >70% energy saving
- Optional Analog, 0/1-10V, DALI, Dimming


## Classification

<b>Class II</b>	<b>CCT</b>
220 to 240VAC	3000K,4000K,6500K
50Hz / PF:>0.9	<b>Driver</b>
	Lifud, Philips


## Luminous Intensity Distribution Curve




## Illuminance at a Distance



## Dimension



MODEL	Power	Lumens (lm)	Size	RF No	Cut-out
CLX-05RZ03003W	03W	240	Ø38 x H39mm	4458	Ø30mm
CLX-05RZ04005W	05W	340	Ø45 x H51mm	4459	Ø40mm
CLX-05RZ05007W	07W	560	Ø57 x H60mm	4460	Ø50mm
CLX-05RZ06009W	09W	765	Ø70 x H79mm	4461	Ø60mm



# cliulux

illuminate your dreams

UK 

City Road, London  
ECV 2NX, United Kingdom  
[www.cliulux.com](http://www.cliulux.com)

## Roza Spot Light

[www.cliulux.com](http://www.cliulux.com)