

# Sintro LED Spot Light



# Sintro

## LED Spot Light




## Product features

- Perfect structure designed die-cast aluminium with PC diffuser
- High Performance Diffuser and reflector with different beam angles
- Easy to install and low cost of maintenance
- Lumen maintenance >L70 at end of life and LED Chip, Philips, Osram, Epistar etc.
- Lumen efficacy 95 to 100lm/w, CRI >80
- Low energy consumption and up to >70% energy saving
- Optional Analog, 0/1-10V, DALI, Dimming


## Classification

Class II	CCT
220 to 240VAC	2700K,4000K,6500K
50Hz / PF:>0.9	mA Adjustable Driver

## Luminous Intensity Distribution Curve




9W 15° 3500K	
H(m)	D(m) Ea Emax
1	0.39 3198 4917
2	0.78 799.6 1229
3	1.17 355.4 456.3
4	1.56 199.9 307.3



9W 24° 3500K	
H(m)	D(m) Ea Emax
1	0.48 2813 3968
2	0.97 703.2 992
3	1.46 312.5 440.9
4	1.95 175.8 248




## Illuminance at a Distance



## Beam Angle



MODEL	Power	CCT	Lumens (lm)	Size	RF No	Cut-out
CLX-05SR256501W03	3W	2700K-6500K	80	Ø25 x H65mm	4489	Ø20mm
CLX-05SR357203W05	5W	2700K-6500K	80	Ø35 x H72mm	4490	Ø30mm
CLX-05SR408605W07	7W	2700K-6500K	80	Ø40 x H86mm	4491	Ø35mm
CLX-05SR458807W09	9W	2700K-6500K	80	Ø45 x H88mm	4492	Ø40mm
CLX-05SR509310W12	12W	2700K-6500K	80	Ø50 x H93mm	4493	Ø45mm
CLX-05SR609955W20	20W	2700K-6500K	80	Ø60 x H99mm	4494	Ø55mm



# cliulux

illuminate your dreams

UK 

City Road, London  
ECV 2NX, United Kingdom  
[www.cliulux.com](http://www.cliulux.com)

## Sintro LED Spot Light

[www.cliulux.com](http://www.cliulux.com)