

Titan AX Down light



Titan AX

Down Light



Product features

- Perfect structure designed die-cast aluminium with glass diffuser
- High Performance Diffuser and reflector with different beam angles
- Easy to install and low cost of maintenance
- Lumen maintenance >L70 at end of life and Philips, Cree , Citizen.etc.
- Lumen efficacy 95 to 130lm/w, CRI >80
- Low energy consumption and up to >70% energy saving
- Optional Analog, 0/1-10V, DALI, Dimming

Classification

Class II


220 to 240VAC 50Hz

Led Driver: Philip's, Tridonic, Lifud


CCT

3000K,4000K,6500K


Luminous Intensity Distribution Curve



Illuminance at a Distance



Dimension



MODEL	Power	CCT	Luminous Efficiency	Beam Angle	Size	RF No	Cut-out
CLX 05TAX 075 010W	10W	3000K-6500K	80lm/w	60°	Ø90/100 x H45mm	4240	Ø75mm
CLX 05TAX 095 015W	15W	3000K-6500K	80lm/w	60°	Ø110 x H55mm	4241	Ø95mm
CLX 05TAX 120 020W	20W	3000K-6500K	80lm/w	60°	Ø138 x H70mm	4242	Ø120mm
CLX 05TAX 145 040W	40W	3000K-6500K	100lm/w	60°	Ø160 x H100mm	4243	Ø145mm
CLX 05TAX 145 050W	50W	3000K-6500K	100lm/w	60°	Ø160 x H100mm	4244	Ø145mm

cliulux

illuminate your dreams

UK 

City Road, London
ECV 2NX, United Kingdom
www.cliulux.com



Titan AX - Down Light