

ZOD

Smart Magnetic Track System



Product features

Magnetic track light system has the flexibility to adapt to every new situation and react to changing requirements in a room- whether you want to evenly light an entire wall or accentuate a particular object. maximum flexibility within the room is ensured since no tools are needed for adjustment, spots are easy to swivel and tilt, and beams can be focused. Light fixtures can be analog dimmed with no flickering to create the optimal setting.

Magnets make life simple

Different light fixtures are held in place by magnetic force along the entire track. No tools are needed to install them. Rotate, Slide into any position, and adjust at any time– all it takes is one hand movement to highlight objects according to requirements

MULTIPLE INTELLIGENT CONTROL METHODS

Wireless "smart" more sense, support a variety of connection control, intelligent dimming, change as you like



TMALL
Direct link



MIJIA
Direct link



TUYA
Direct link



Safety voltage

DC48V
Safety voltage

Bluetooth 5.0g, 0-10V, Dali, Morgan, oribo can be customized



Voice
control



APP
control



Remote
control



Wall switch
control

ZOD 1

Small smart series

Compatible



Small magic sugar speaker



Mobile phone APP



Switch panel



Remote control



NAME	MODEL	POWER	COLOR	BEAM ANGLE	CRI	SIZE(MM)
Intelligent floodlight	CLX-05Z1D300L12W	12W	3000-6000K	120°	RA ≥ 90	L300*W22*H25
Intelligent floodlight	CLX-05Z1D600L20W	20W	3000-6000K	120°	RA ≥ 90	L600*W22*H25
Intelligent grille lamp	CLX-05Z1D220G12W	12W	3000-6000K	24°	RA ≥ 90	L220*W22*H25
Intelligent grille lamp	CLX-05Z1D330G20W	20W	3000-6000K	24°	RA ≥ 90	L330*W22*H25
Smart folding lamp	CLX-05Z1D230F12W	12W	3000-6000K	24°	RA ≥ 90	L230*W22*H105
Intelligent track light	CLX-05Z1D120T15W	15W	3000-6000K	24°	RA ≥ 90	∅50 x L120
Intelligent suspension lamp	CLX-05Z1D300H06W	6W	3000-6000K	15°	RA ≥ 90	∅30 x L300

ZOD 2



Mijia smart series

Compatible



Xiaomi AI speaker



Mobile phone APP



Switch panel



Remote control



NAME	MODEL	POWER	COLOR	BEAM ANGLE	CRI	SIZE(MM)
Intelligent floodlight	CLX-05Z2D300L12W	12W	3000-6000K	120°	RA ≥ 90	L300*W22*H25
Intelligent floodlight	CLX-05Z2D600L20W	20W	3000-6000K	120°	RA ≥ 90	L600*W22*H25
Intelligent grille lamp	CLX-05Z2D220G12W	12W	3000-6000K	24°	RA ≥ 90	L220*W22*H25
Intelligent grille lamp	CLX-05Z2D330G20W	20W	3000-6000K	24°	RA ≥ 90	L330*W22*H25
Smart folding lamp	CLX-05Z2D230F12W	12W	3000-6000K	24°	RA ≥ 90	L230*W22*H105
Intelligent track light	CLX-05Z2D120T12W	12W	3000-6000K	24°	RA ≥ 90	Ø50 x L120
Intelligent suspension lamp	CLX-05Z2D300H06W	6W	3000-6000K	15°	RA ≥ 90	Ø30 x L300

ZOD 3

 TUYA smart series

Compatible



Mobile phone APP



NAME	MODEL	POWER	COLOR	BEAM ANGLE	CRI	SIZE(MM)
Intelligent floodlight	CLX-05Z3D300L12W	12W	3000-6000K	120°	RA ≥ 90	L300*W22*H25
Intelligent floodlight	CLX-05Z3D600L20W	20W	3000-6000K	120°	RA ≥ 90	L600*W22*H25
Intelligent grille lamp	CLX-05Z3D220G12W	12W	3000-6000K	24°	RA ≥ 90	L220*W22*H25
Intelligent grille lamp	CLX-05Z3D330G20W	20W	3000-6000K	24°	RA ≥ 90	L330*W22*H25
Smart folding lamp	CLX-05Z3D230F12W	12W	3000-6000K	24°	RA ≥ 90	L230*W22*H105
Intelligent track light	CLX-05Z3D120T12W	12W	3000-6000K	24°	RA ≥ 90	Ø50 x L120
Intelligent suspension lamp	CLX-05Z3D300H06W	6W	3000-6000K	15°	RA ≥ 90	Ø30 x L300

Precision structure

Precise structural engineering ensures smooth installation and operation of lamps, Crisp rhythm feedback sound, Intuitive and smooth paragraph sense, delicate touch, Switch position freely, move smoothly, feel lighter.

DC48V

safety voltage

Magnetic lamp experience upgrade



Narrow
border



Strong
Magnetic Force



Portability



Stitchable



48V
Safety
Protection



Multiple
Installations

ZOD 4

DC48V Floodlight series



30cm/10W
60cm/20W
120cm/40W

**Magnetic lamp
experience upgrade**



Narrow
border



Strong
Magnetic Force



Portability




Stitchable



48V
低电压
Safety
Protection



Multiple
Installations



NAME	MODEL	POWER	COLOR	BEAM ANGLE	CRI	SIZE(MM)
Floodlights	CLX-05Z4D300L10W	10W	3000K/4000K/6000K	120°	RA ≥ 90	L300*W22*H25
Floodlights	CLX-05Z4D600L20W	20W	3000K/4000K/6000K	120°	RA ≥ 90	L600*W22*H25
Floodlights	CLX-05Z4D1200L40W	40W	3000K/4000K/6000K	120°	RA ≥ 90	L1200*W22*H25



ZOD 4

DC48V Grille Lamp series



11cm/6W
22cm/12W
33cm/18W

**Magnetic lamp
experience upgrade**



Narrow
border



Strong
Magnetic Force



Portability




Stitchable



48V
低电压
Safety
Protection



Multiple
Installations



NAME	MODEL	POWER	COLOR	BEAM ANGLE	CRI	SIZE(MM)
Grille lamp series	CLX-05Z4D110G06W	6W	3000K/4000K	24°	RA ≥ 90	L110*W22*H25
Grille lamp series	CLX-05Z4D220G12W	12W	3000K/4000K	24°	RA ≥ 90	L220*W22*H25
Grille lamp series	CLX-05Z4D330G18W	18W	3000K/4000K	24°	RA ≥ 90	L330*W22*H25





ZOD 4

DC48V Folding Lamp series



13.5cm/6W
23cm/12W

**Magnetic lamp
experience upgrade**



NAME	MODEL	POWER	COLOR	BEAM ANGLE	CRI	SIZE(MM)
Folding lamp	CLX-05Z4D135F06W	6W	3000K/4000K	24°	RA ≥ 90	L135*W22*H105
Folding lamp	CLX-05Z4D230F12W	12W	3000K/4000K	24°	RA ≥ 90	L230*W22*H105



ZOD 4

DC48V Rail Lamp series



8cm/6W
10cm/10W
12cm/15W
15.5cm/30W

**Magnetic lamp
experience upgrade**



Narrow
border



Strong
Magnetic Force



Portability




Stitchable



48V
低电压
Safety
Protection



Multiple
Installations



NAME	MODEL	POWER	COLOR	BEAM ANGLE	CRI	SIZE(MM)
Guideway lamp	CLX-05Z4D080T06W	6W	3000K/4000K	15°	RA ≥ 90	Ø50*L80mm
Guideway lamp	CLX-05Z4D100T10W	10W	3000K/4000K	24°	RA ≥ 90	Ø40*L100mm
Guideway lamp	CLX-05Z4D120T15W	15W	3000K/4000K	24°	RA ≥ 90	Ø50*L120mm
Guideway lamp	CLX-05Z4D150T30W	30W	3000K/4000K	24°	RA ≥ 90	Ø68*L155mm




ZOD 4

DC48V Focusing Rail Lamp series



10cm/8W
13.2cm/15W

**Magnetic lamp
experience upgrade**



NAME	MODEL	POWER	COLOR	BEAM ANGLE	CRI	SIZE(MM)
Focusing rail lamp	CLX-05Z4D110T08W	8W	3000K/4000K	15° ~ 38°	RA ≥ 90	Ø50*L100mm
Focusing rail lamp	CLX-05Z4D132T15W	15W	3000K/4000K	15° ~ 60°	RA ≥ 90	Ø64*L132mm



ZOD 4

DC48V Suspension lamp series



30cm/6W

**Magnetic lamp
experience upgrade**



Narrow
border



Strong
Magnetic Force



Portability



Stitchable



48V
低电压
Safety
Protection



Multiple
Installations



NAME	MODEL	POWER	COLOR	BEAM ANGLE	CRI	SIZE(MM)
Suspension lamp	CLX-05Z3D300H06W	6W	3000K/4000K	15°	RA ≥ 90	∅30*H300mm






Channel Variety

The magnetic track system is available as a recessed, surface-mounted, and suspended option. The suspended direct/indirect model also enables optional indirect lighting. the power track system use 48V. Each spot can be switched on and off and dimmed individually wirelessly via WIFI, Zigbee or using a DALI signal


Track

100cm
200cm
300cm




Concealed track

Installation mode: embedded / concealed



Concealed type



Horizontal angle - concealed track

Size: 85x85 mm

Horizontal corner 90° Ceiling corner use




Vertical angle - concealed track

Size: 85x85 mm

Vertical corner 90° Use of corner between ceiling and side wall


Track

100cm
200cm
300cm




Scraping track

Installation mode : embedded / dust scraping



Concealed type



Horizontal angle - Scraping track

Size: 85x85 mm

Horizontal corner 90° Ceiling corner use



Vertical angle - Scraping track

Size: 85x85 mm

Vertical corner 90° Use of corner between ceiling and side wall


Track

100cm
200cm
300cm




Concealed track

Installation mode: embedded / concealed



Concealed type



Horizontal angle - concealed track

Size: 85x85 mm

Horizontal corner 90° Ceiling corner use



Vertical angle - concealed track

Size: 85x85 mm

Vertical corner 90° Use of corner between ceiling and side wall



Track

100cm
200cm
300cm



Ceiling rail

Installation mode: ceiling / surface / hoisting



Horizontal angle - surface mounted track

Size: 85x85 mm
Horizontal corner 90° Ceiling corner use




Vertical angle - surface track

Size: 85x85 mm
Vertical corner 90° Use of corner between ceiling and side wall


Residential




Retail



Retail



Commercial



cliulux

illuminate your dreams

UK 

City Road, london
ECV 2NX, United Kingdom
www.cliulux.com



Zod

Magnetic Track Light