


# Zoom Neon IP 66 180°



**View Angle  
180°**



# Zoom

## Neon IP66 180 Top & Side View



### Description

- Zoom is a neon led strip light from the house of Cliulux.
- The fixture boasts new layer of protection,IP66 making it suitable for exterior use.
- The product can be used in water damp areas or salty areas. The use of waterproof cable glands are advised to ensure the connection to the product are protected.
- Application includes external side walks, building facade.

### Specification

Wattage: 10W/m, 12W/m, 20W/m

Lumen: 70lm/W

CCT: 2700K - 7000K CRI >80

Red, Green, Blue (RGB)

Temp range: -20°C to +50°C

Driver Input: DC(12-24V), AC(220V)

### Mechanical

Ingress Protection: 66

Material: PVC / Silicone


Finish: White & Black

Beam Angle: 180°



SMD chip: Epistar & Osram

Dimming Options: 0-10V-Dali, DMX



## Technical Drawing (Top View)






CLX - A1ZF2020B10TA



CLX - A1ZF2020W12TA





CLX - A1ZF2014W10TA





CLX - A1ZF2016W10TA

MODEL	Size	Beam angle	PCB width
CLX - A1ZF2020B10TA	20 x 20	180°	Double Sided 10
CLX - A1ZF2020W12TA	20 x 20	180°	Double Sided 12
CLX - A1ZF2014W10TA	20 x 14	180°	Double Sided 10
CLX - A1ZF2016W10TA	20 x 16	180°	Double Sided 10



## Technical Drawing (Top View)





CLX - A1ZF1616W10TA



CLX - A1ZF1414W10TA






CLX - A1ZF1212W08TA




CLX - A1ZF2214W08TA

MODEL	Size	Beam angle	PCB width
CLX - A1ZF1616W10TA	16 x 16	180°	Double Sided 10
CLX - A1ZF1414W10TA	14 x 14	180°	Double Sided 10
CLX - A1ZF1212W08TA	12 x 12	180°	Double Sided 08
CLX - A1ZF2214W08TA	22 x 14	180°	Double Sided 08



## Technical Drawing (Side View)





CLX - A1ZF0613WOSSA



CLX - A1ZF0816WOSSA




CLX - A1ZF1220W10SA



CLX - A1ZF1018W10SA

MODEL	Size	Beam angle	PCB width
CLX - A1ZF0613WOSSA	6 x 13	180°	Double Sided 10
CLX - A1ZF0816WOSSA	8 x 16	180°	Double Sided 10
CLX - A1ZF1220W10SA	12 x 20	180°	Double Sided 08
CLX - A1ZF1018W10SA	10 x 18	180°	Double Sided 08



# cliulux

illuminate your dreams

UK 

City Road, london  
ECV 2NX, United Kingdom  
[www.cliulux.com](http://www.cliulux.com)

## Zoom

## Neon IP66 180°

[www.cliulux.com](http://www.cliulux.com)