


Zoom Neon IP 66 270°




View Angle 270°



Pink _____



RGB _____



Day Light _____

Zoom

Neon IP66 270 Top & Side View



Description

- Zoom is a neon led strip light from the house of Cliulux.
- The fixture boasts new layer of protection, IP66 making it suitable for exterior use.
- The product can be used in water damp areas or salty areas. The use of waterproof cable glands are advised to ensure the connection to the product are protected.
- Application includes external side walks, building facade.

Specification

Wattage: 10W/m, 12W/m, 20W/m

Lumen: 70lm/W

CCT: 2700K - 7000K CRI >80

Red, Green, Blue (RGB)

Temp range: -20°C to +50°C

Driver Input: DC(12-24V), AC(220V)

Mechanical

Ingress Protection: 66

Material: PVC / Silicone

Finish: White & Black

Beam Angle: 270°

SMD chip: Epistar & Osram

Dimming Options: 0-10V-Dali, DMX

Technical Drawing



XXXXXXXXXXXXXXXXXX



XXXXXXXXXXXXXXXXXX




XXXXXXXXXXXXXXXXXX



XXXXXXXXXXXXXXXXXX

MODEL	Size	Beam angle	PCB width
CLX-A1ZF22360B8	Ø22	360°	Double Sided 8
CLX-A1ZF22360W6	Ø22	360°	Double Sided 6
CLX-A1ZF22360W8	Ø22	360°	Double Sided 8

The background of the entire advertisement is a long-exposure photograph of a winding road at night. The road curves through a dark, hilly landscape. Light trails from vehicles are visible, with red trails from taillights and white/yellow trails from headlights. The road is illuminated by warm, orange light, possibly from streetlights or the vehicles themselves. The sky is dark with some faint stars visible.

cliulux
illuminate your dreams
UK 

City Road, london
ECV 2NX, United Kingdom
www.cliulux.com

Zoom
Neon IP66 270°

www.cliulux.com