




Zoom Neon IP 66 360°



View Angle 360°



Pink _____



RGB _____



Day Light _____

Zoom

Neon IP66 360 Top & Side View



Description

- Zoom is a neon led strip light from the house of Cliulux.
- The fixture boasts new layer of protection,IP66 making it suitable for exterior use.
- The product can be used in water damp areas or salty areas. The use of waterproof cable glands are advised to ensure the connection to the product are protected.
- Application includes external side walks, building facade.


Specification

Wattage: 10W/m, 12W/m, 20W/m
Lumen: 70lm/W
CCT: 2700K - 7000K CRI >80
Red, Green, Blue (RGB)
Temp range: -20°C to +50°C
Driver Input: DC(12-24V), AC(220V)


Mechanical

Ingress Protection: 66
Material: PVC / Silicone
Finish: White & Black
Beam Angle: 360°
SMD chip: Epistar & Osram
Dimming Options: 0-10V-Dali, DMX


Technical Drawing



CLX-A1ZF22360B8




CLX-A1ZF22360W6



CLX-A1ZF22360W8

MODEL	Size	Beam angle	PCB width
CLX-A1ZF22360B8	Ø22	360°	Double Sided 8
CLX-A1ZF22360W6	Ø22	360°	Double Sided 6
CLX-A1ZF22360W8	Ø22	360°	Double Sided 8



cliulux

illuminate your dreams

UK 

City Road, london
ECV 2NX, United Kingdom
www.cliulux.com

Zoom

Neon IP66 360°