

Pentra Linear Light PLX 1


130
LM/W


50000
HOURS


CRI
>80, >90

5 YEAR
WARRANTY




Pentra

Linear Light PLX 1




Product Description


Linear PENTRA range of suspended fixtures, with high quality aluminium profile, rigid LEDs, internal drivers, Customize linear along with all required accessories enable achieve various styles of Lighting Grids for the Commercial - Office - Retail lighting applications. Standard Non-Dimmable drivers (internal), Optional external drivers: Analog, 0/1-10W, DALI, DMX, Optional luminare colours Black, Silver, white

Product features

- Seamless Connection
- Easy Installation & Low cost
- Linkable To Max 1000w
- Three-phase circuit is preset in the track
- Can be individually controlled as required
- 0-10V Dimming mode
- X,L, and T standard module node connectors
- CRI >80, >90 is optional




Light Distribution Curve



Illumination Distribution diagram

50x70mm



MODEL	Power	Size	Lumens	CCT
CLX-01A PLX1 507006018W	18W	570 x 50 x 70H	2350	3000K-4000K-6000K
CLX-01A PLX1 507012036W	36W	1140 x 50 x 70H	4600	3000K-4000K-6000K
CLX-01A PLX1 507017054W	54W	1690 x 50 x 70H	7000	3000K-4000K-6000K

cliulux

illuminate your dreams

UK 

City Road, London
ECV 2NX, United Kingdom
www.cliulux.com



Pentra - Linear Light

PLX 1