

# Tildro Up & Down Light

IP44



95  
LIM/W



CRI  
>80

5  
YEAR  
WARRANTY  




# Tildro

## Up & Down light



## Product features

- Designed with constant current technology.
- Perfect structure design with aluminum base to disperse heat easily.
- The latest indoor illumination product with comprehensive application.
- Easy to install and low cost of maintenance.
- High lumen, high power, lowv degradation,low heat.
- We are led factory and specilized in designing and developing the LED lamps.
- LED chip: Epistar, Osram.Philips etc.
- High lumens output, low heat and functing is more steadier.
- Healthy beam, without ultraviolet radiation &infrared ,no radicalization.
- Optional Analog, 0/1-10V, DALI, Dimming, Bluetooth Dimmable

## Classification

**Class II**


220 to 240VAC 50Hz

Led Driver: Philip's, Tridonic, Lifud


**CCT**

3000K,4000K,6500K

## Luminous Intensity Distribution Curve



## Illuminance at a Distance



MODEL	Power	CCT	Luminous Efficiency	Beam Angle	Size	RF No	Cut-out
CLX-05TLO656507W	7W	3000K-6500K	80lm/w	15° 24° 36°	Ø65 x H65mm	4495	Ø55mm
CLX-05TLO858510W	10W	3000K-6500K	80lm/w	15° 24° 36°	Ø85 x H85mm	4496	Ø75mm
CLX-05TL10010015W	15W	3000K-6500K	80lm/w	15° 24° 36°	Ø100 x H100mm	4497	Ø90mm
CLX-05TL13013025W	25W	3000K-6500K	80lm/w	15° 24° 36°	Ø130 x H130mm	4498	Ø115mm
CLX-05TLO8515510W	2X10W	3000K-6500K	80lm/w	15° 24° 36°	85 x 155mm	4499	75x145mm
CLX-05TLO9017515W	2X15W	3000K-6500K	80lm/w	15° 24° 36°	100 x 185mm	4500	90x175mm
CLX-05TL11522830W	2X30W	3000K-6500K	80lm/w	15° 24° 36°	130 x 240mm	4501	115x228mm

# cliulux

illuminate your dreams

UK 

City Road, London  
ECV 2NX, United Kingdom  
[www.cliulux.com](http://www.cliulux.com)



## Tildro - Up & Down Light