


Laffa Wall Light



Laffa Wall Light



 LED




Product features

- Perfect structure designed die-cast aluminium with PC diffuser
- High Performance Diffuser and reflector with different beam angles
- Easy to install and low cost of maintenance
- Lumen maintenance >L70 at end of life and LED Chip, Osram
- Lumen efficacy 80 to 95lm/w, CRI >80
- Low energy consumption and up to >70% energy saving

Classification

Class II	CCT
110 to 240VAC	3000K,4000K,6500K
50Hz / PF:>0.9	

Dimension (all dimensions are in mm)



| ← D → |

(Top View)




| ← D → |

(Side View)



MODEL	Wattage	CCT	Ref No	Size
Round				
CLX-13LF22509RB15W	15W	2700 - 6000K	4601	Ø225 x H090
CLX-13LF27510RB18W	18W	2700 - 6000K	4602	Ø275 x H100
Oval				
CLX-13LF225180B12W	12W	2700 - 6000K	4603	Ø225 x W180
CLX-13LF275180B18W	18W	2700 - 6000K	4604	Ø275 x W180
Square				
CLX-13LF22509SB12W	12W	2700 - 6000K	4605	225 x 225 x H90
CLX-13LF22509SB18W	18W	2700 - 6000K	4606	275 x 275 x H100
Cube				
CLX-13LF21022TW7W	7W	2700 - 6000K	4607	210 x 210 x H250

The background of the entire page is a night sky filled with stars, with the Milky Way galaxy visible on the left side. In the bottom right corner, there is a large, illuminated teepee structure made of wooden poles and fabric, glowing from within. The overall scene is dark and atmospheric.

cliulux

illuminate your dreams

UK 

City Road, london
ECV 2NX, United Kingdom
www.cliulux.com

Laffa - Wall Light

www.cliulux.com